Document:	D-54067-007				SVEETA DVT	
Release date:	Jan 28, 2012				SAFEITDAT	ASHE
Update date: Printed on:	Nov 3, 2021 Nov 3, 2021	Applies to part numbers:	K-11072-250	K-11072-B50	K-11072-C25	

Section 1	Product and company identification		
Product name:	AdvanStain Scarlet Protein Gel Stain		
Supplier:	Advansta Inc.		
Address:	2140 Bering Drive		
	San Jose, CA 95131		
Phone:	650-325-1980		
Section 2	Composition/Information on Ingredients		
Ingredient		CAS #	%
Dimethyl sulfoxide	e	67-68-5	67.8
Acetonitrile		75-05-8	32.2
Water		7732-18-5	make up to 100%

There are no other ingredients present which within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous according to the OSHA Hazard Communications Standard (29 CFR 1910.1200) and require reporting in this section.

Section 3 Hazards identification

EMERGENCY OVERVIEW:

HMIS RATING

FLAMMABILITY

Combustible liquid and vapor. Harmful if inhaled, absorbed through skin or swallowed. Causes respiratory tract, eye and skin irritation. Contains material that can cause target organ damage.

NFPA RATING	
HEALTH	2
FLAMMABILITY	2
REACTIVITY	0

PRECAUTIONARY MEASURES

ROUTES OF ENTRY

Eyes:

Skin:

REACTIVITY

Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Keep away from heat and flame. Keep container tightly closed. Wash thoroughly after handling.

Dermal contact. Eye contact. Inhalation. Ingestion.

Irritating to eyes

2

2

0

Toxic in contact with skin. Irritating to skin.

Toxic by inhalation. Irritating to respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Ingestion:

Chronic Effects:

Carcinogenicity:

Mutagenicity:

Teratogenicity:

Fertility effects:

Target organs:

Inhalation: Ingestion:

Skin:

Eyes:

BY OVER-EXPOSURE

Developmental effects:

MEDICAL CONDITIONS AGGRAVATED

Inhalation:

POTENTIAL CHRONIC HEALTH EFFECTS

POTENTIAL ACUTE HEALTH EFFECTS

Contains material that can cause target organ damage

No known significant effects or critical hazards.

Contains material which causes damage to the following organs: blood. Contains material which may cause damage to the following organs: kidneys, liver, cardiovascular system, upper respiratory tract, skin, eyes, central nervous system (CNS).

Adverse symptoms may include the following: respiratory tract irritation, coughing . No specific data.

Adverse symptoms may include the following: irritation, redness.

Adverse symptoms may include the following: pain or irritation, watering, redness.

Pre-existing disorders involving any target organs mentioned in this SDS as being at risk may be aggravated by over-exposure to this product.

EΤ

For additional information on toxicity, please refer to Section 11.

Section 4 - First Aid Measures	
ORAL EXPOSURE	Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
INHALATION EXPOSURE	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
DERMAL EXPOSURE	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
EYE EXPOSURE	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
PROTECTION OF FIRST-AIDERS	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash.
Section 5 - Fire Fighting Measures	
FLASH POINT	N/A
AUTOIGNITION TEMP	N/A
FLAMMABILITY	Combustible liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
EXTINGUISHING MEDIA	
Suitable:	Use dry chemical, CO ₂ , water spray (fog) or foam
Not suitable:	Do not use water jet.
FIREFIGHTING	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SPECIAL EXPOSURE HAZARDS	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
HAZARDOUS COMBUSTION PODUCTS	Decomposition products may include the following materials: carbon dioxide, carbon monoxide, nitrogen oxides, sulfur oxides.
Section 6 - Accidental Release Measure	<u>es</u>
PERSONAL PRECAUTIONS	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. War appropriate respirator when ventilation is inadequate.Put on appropriate personal protective equipment (see Section 8).
ENVIRONMENTAL PRECAUTIONS	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
METHODS FOR CLEANING UP	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, verniculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
SMALL SPILL	Stop leak without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Sue spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.
Section 7 - Handling and Storage	
HANDLING	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition

source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measure against electrostatic discharges. To avoid fire or explosion dissipate static electricity during transfer by ground and bonding container and equipment before transferring material empty containers retain product residue and be hazardous. Do not reuse container.

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from light at -15°C to -25°C, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section	8 - Fx	nosure	Controls	/ PPF
000000	<u> </u>	<u></u>	001101010	<u> </u>

:

Components	CAS-No	Exposu	re Limits	Basis
Dimethyl sulfoxide	67-68-5	TWA	250 ppm 8 hour(s)	AIHA WEEL (United States, 1/2009)
Acetonitrile	75-05-8	TWA	20 ppm 8 hour(s) Absorbed through skin	ACGIH TLV (United States, 2/2010)
		TWA	34 mg/m3 10 hour(s)	NIOSH REL (United States, 6/2009)
		TWA	20 ppm 10 hours	NIOSH REL (United States, 6/2009)
		TWA	70 mg/m3 8 hour(s)	OSHA PEL (United States, 11/2006)
		TWA	40 ppm 8 hour(s)	OSHA PEL (United States, 11/2006)
		STEL	105 mg/m3 15 minute(s)	OSHA PEL 1989 (United States, 3/1989)
		STEL	60 ppm 15 minute(s)	OSHA PEL 1989 (United States, 3/1989)
		TWA	70 mg/m3 8 hour(s)	OSHA PEL 1989 (United States, 3/1989)
		TWA	40 ppm 8 hour(s)	OSHA PEL 1989 (United States, 3/1989)

PERSONAL PROTECTIVE EQUIPMENT

Respiratory:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hand:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
Skin:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Environmental Exposure Controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
GENERAL HYGIENE MEASURES:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should e used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Section 9 - Physical and chemical prope	erties
Physical State:	Liquid

Physical State:	Liquid
Flash Point:	Closed cup: 61 to 93.3°C (141.8 to 199.9°F)
Color:	Yellow to purple
Odor:	Ethereal (slight)
Volatility:	>99% (w/w)
VOC:	100% (w/w)
Solubility:	N/A

Section 10 - Stability and Reactivity STABILITY: MATERIALS TO AVOID HAZARDOUS DECOMPOSITION PRODUCTS CONDITIONS OF REACTIVITY

This product is stable.

Reactive or incompatible with the following materials: oxidizing materials

Under normal conditions of storage use, hazardous reactions will not occur

Highly flammable in the presence of the following materials or conditions: open flames, sparks and static discharge and heat. Not considered to be a product presenting a risk of explosion.

Section 11 - Toxicological Information

ACUTE TOXICITY

Product/Ingredient Name	Result	Species	Dose	Exposure
Dimethyl sulfoxide	LC50 Inhalation Vapor	Rat	>1600 mg/m3	4 hours
	LC50 Dermal	Rat	40000 mg/kg	
	LC50 Oral	Rat	14.5 g/kg	
Acetonitrile	LC50 Inhalation Gas	Rat	17100 ppm	4 hours
	LC50 Dermal	Rabbit	980 mg/kg	
	LC50 Oral	Rat	2460 mg/kg	

Conclusion/Summary

N/A

N/A

SENSITIZER

Conclusion/Summary

CLASSIFICATION

Product/Ingredient Name		IARC	EPA	NIOSH	NTP	OSHA
Acetonitrile	A4	-	D	-	-	-

Section 12 - Ecological Information

ENVIRONMENTAL EFFECTS AQUATIC ECOTOXICITY

No known significant effects or critical hazards.

Product/Ingredient Name Test Result Species Exposure Dimethyl sulfoxide Acute LC50 25000 ppm Daphnia-Water flea-Daphnia magna 48 hours Fresh water (neonate - < 24 hours) Fish-Fathead-minnow-Pimephales promelas 96 hours Acute LC50 3400000 µg/L (31 days – 15.8 mm to 0.062 g) Fresh water Acetonitrile Daphnia-Water flea-Daphnia magna 48 hours Acute LC50 3600000 µg/L (< 24 hours) Fresh water Fish-Fathead-minnow-Pimephales promelas 96 hours Acute LC50 > 100000 μg/L (Juvenile, Fledgling, Hatchling, Weaning - 0.2 to 0.5g) Fresh water

Conclusion/Summary

N/A

BIODEGRADABILITY Conclusion/Summary Not available N/A

OTHER ADVERSE EFFECTS

No known significant effects or critical hazards.

Section 13 - Disposal Considerations WASTE DISPOSAL:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14 - Transport Information INTERNATIONAL TRASPORT REGULATIONS

Not classified

Section 15 - Regulatory Information

HCS Classification	Combustible liquid	
	Toxic material	
	Irritating material	
	Target organ effects	
US FEDERAL REGULATIONS		
TSCA 4(a) final test rules	Acetonitrile	
TSCA 8(a) PAIR	Acetonitrile	
TSCA 8(a) IUR exempt/Partial exemption	Not determined	
United States inventory (TSCA 8b)	All components are listed or exempted	
SARA 302/304/311/312 extremely hazardous substances	No products were found	
SARA 302/304 emergency planning and notification	No products were found	
SARA 302/304/311/312 hazardous chemicals	Dimethyl sulfoxide; Acetonitrile	
SARA 311/312 MSDS distribution - chemical inventory - hazard identification	Dimethyl sulfoxide: Immediate (acute) health hazard, Delayed (chronic) health hazard; Acetonitrile: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard	
Clean Water Act (CWA) 307	Acetonitrile	
Clean Water Act (CWA) 311	No products were found	
Clean Air Act (CAA) 112 regulated flammable substances	No products were found	
Clean Air Act (CAA) 112 regulated toxic substances	No products were found	
Clean Air Act (CAA) 112(b) hazardous air pollutants (HAPs)	Listed	
Clean Air Act (CAA) 602 Class I Substances	Not listed	
Clean Air Act (CAA) 602 Class II Substances	Not listed	
DEA List I Chemicals (precursor chemicals)	Not listed	
DEA List II Chemicals (precursor chemicals)	Not listed	

SARA 313	Product name	CAS number	Concentration
Form R-Reporting requirements	Acetonitrile	75-05-8	32.2
Supplier notification	Acetonitrile	75-05-8	32.2

STATE REGULATIONS	
Massachusetts	The following components are listed: Acetonitrile
New York	The following components are listed: Acetonitrile
New Jersey	The following components are listed: Dimethyl sulfoxide; Acetonitrile
Pennsylvania	The following components are listed: Acetonitrile
California prop. 65	Not listed
UNITED STATES INVENTORY (TSCA 8B)	All components are listed or exempted
INTERNATIONAL REGISTRIES	
Australia inventory (AICS)	All components are listed or exempted
China inventory (IESCS)	All components are listed or exempted
Japan inventory	All components are listed or exempted
Korea inventory	All components are listed or exempted
New Zealand inventory of chemicals (NZIoC)	All components are listed or exempted

Philippines inventory (PICCS)	All components are listed or exempted
CHEMICAL WEAPONS CONVENTION LIST SCHEDULE I CHEMICALS	Not listed
CHEMICAL WEAPONS CONVENTION LIST SCHEDULE II CHEMICALS	Not listed
CHEMICAL WEAPONS CONVENTION LIST SCHEDULE III CHEMICALS	Not listed

Section 16 Other information

Date of last revision: November 3, 2021

For R&D use only. Not for drug, household or other uses.

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.